I	Number	Hits		DB	Time stamp	
1		1	("6552813").PN.	USPAT;	2004/11/08 0	8:34
				US-PGPUB		
2		1	(("6552813").PN.) AND spool\$4	USPAT;	2004/11/08 1	.0:33
				US-PGPUB	, ,	
3		1	(("6552813").PN.) and (client same	USPAT;	2004/11/08 0	8:50
			print\$4)	US-PGPUB	, , , , ,	
4	:	1	(("6552813").PN.) and (client or user)	USPAT;	2004/11/08 0	9:04
			same (select\$4 or choo\$4 or pick\$4) same	US-PGPUB		
			(printer)	l		
5	•	29		USPAT;	2004/11/08 0	9:30
			accupied) near2 (printer)	US-PGPUB		
6	· ·	0	((if near3 unavailable) near5 (send\$4 or	USPAT;	2004/11/08 0	19:32
1_	_		transmit\$4)) near4 (busy adj priner)	US-PGPUB	0004/11/00 0	
7	•	0	((if near3 unavailable) near5 (send\$4 or	USPAT;	2004/11/08 0	19:32
_		_	transmit\$4)) same (busy adj priner)	US-PGPUB	0004/11/00 0	
8	}	0	((if near3 unavailable) near10 (send\$4 or	USPAT;	2004/11/08 0	19:32
١.		_	transmit\$4)) same (busy adj priner)	US-PGPUB	0004/11/00 0	
9	)	0	((if near3 unavailable) near10 (send\$4 or	USPAT;	2004/11/08 0	19:32
١.	•		transmit\$4))	US-PGPUB	2004/11/00 0	
1	.0	0	((if near3 available) near10 (send\$4 or	USPAT; US-PGPUB	2004/11/08 0	19:33
-	1	_	transmit\$4))		2004/11/00 0	10.20
1	.1	0	((if near3 available) near10 (send\$4 or	USPAT;	2004/11/08 0	13:30
-	.2	_	transmit\$4)) (("6552813").PN.) and (processor or	US-PGPUB USPAT:	2004/11/08 0	10.20
1	. 2	0	controller or cpu or mpu)	US-PGPUB	2004/11/08 0	19:30
١,	2	,		USPAT:	2004/11/08 1	0.05
1	.3	. 1	(("6552813").PN.) and busy	US-PGPUB	2004/11/08 l	בט:ט.
1	.4	0	(("6552813").PN.) and (convert\$4 same	USPAT;	2004/11/08 1	0.06
'	.4	٠	apool\$4)	US-PGPUB	2004/11/08 1	.0:00
١,	.5	1	apool\$47   (("6552813").PN.) and driver	USPAT;	2004/11/08 1	0.06
1	.5	_	(("6552813").PN.) and driver	US-PGPUB	2004/11/08 1	.0:00
1	.6	1	(("6552813").PN.) and (deivce or port or	USPAT;	2004/11/08 1	0.26
1	.0		server or communication or printer)	US-PGPUB	2004/11/06 1	.0:36
1	.7	1	(("6552813").PN.) and "620"	USPAT;	2004/11/08 1	0.30
1	. /		(( 0552015 ).FN.) and 020	US-PGPUB	2004/.11/00 1	رد.ن.
١	.8	1	(("6552813").PN.) and quer\$4	USPAT;	2004/11/08 1	3 - 15
-	.0		(( 0552015 ):IN:) and quely4	US-PGPUB	2001/11/00 1	
1	.9	1	(("6552813").PN.) and status	USPAT;	2004/11/08 1	3:18
~		_	(( 0552015	US-PGPUB	,,	
1 2	0	1	(("6552813").PN.) and quer\$4	USPAT;	2004/11/08 1	.3:18
			1	US-PGPUB		
-		12	((POOL or group or plura\$5) near4	USPAT;	2004/11/05 1	3:25
			(printers)) near6 ((select\$4 or choos\$4 or	US-PGPUB	, ,	
			pick\$4) same (favorit\$4 or modle or brand		, .	
	A consequence and a		or departemental or particular))			
-		519	((select\$4 or choos\$4 or pick\$4) near5	USPAT;	2004/11/04 0	7:57
			(favorit\$4 or modle or brand or	US-PGPUB		
1			departemental or particular)) near6			,
			(printer\$2)			
-		1315	((select\$4 or choos\$4 or pick\$4) near5	USPAT;	2004/11/03 1	4:26
			(favorit\$4 or modle or brand or	US-PGPUB		
			departemental or particular or type))			
		_	near6 (printer\$2)		0004/55 /55	, .
-		1	("5991846").PN.	USPAT;	2004/11/03 1	.4:37
i				US-PGPUB		
-		629	((select\$4 or choos\$4 or pick\$4) near5	USPAT;	2004/11/04 0	7:58
			(favorit\$4 or model or brand or	US-PGPUB		
			departemental or particular)) near6			
			(printer\$2)	TTODAM.	2004/11/01 -	
-		3	((select\$4 or choos\$4 or pick\$4) near5	USPAT;	2004/11/04 0	8:01
			(favorit\$4 or model or brand or	US-PGPUB		
			departemental or particular)) near6			
		71	(printer\$2) same (busy and available)	iionam.	2004/11/04 2	0.50
-		/ 1		USPAT; US-PGPUB	2004/11/04 0	0:53
			(favorit\$4 or model or brand or departemental or particular)) near6	US-PUPUB		
			(printer\$2) and (busy and available)			
_		96166	((send\$4 or transmit\$4 or transf\$4) near7	USPAT;	2004/11/04 0	8.57
		20100	(favorit\$4 or particular or prefer\$5))	US-PGPUB		3.37
Ц			, stroy - s- paretoular of prefery,			

	-	410	((send\$4 or transmit\$4 or transf\$4) near7 (favorit\$4 or particular or prefer\$5))	USPAT; US-PGPUB	2004/11/04 08:58
	-	417		USPAT;	2004/11/04 09:01
			(favorit\$4 or particular or prefer\$5)) near4 (printer)	US-PGPUB	
	-	0	((send\$4 or transmit\$4 or transfe\$4) near7 (favorit\$4 or particular or prefer\$5))	USPAT; US-PGPUB	2004/11/04 09:01
			near4 (printer) same (unavailable and busy)		
	-	0		USPAT; US-PGPUB	2004/11/04 09:02
	_	93	near4 (printer) same (unavailable) ((send\$4 or transmit\$4 or transfe\$4) near7	USPAT;	2004/11/04 10:40
	_	93	((send\$4 or transmit\$4 or transfe\$4) hear/ (favorit\$4 or particular or prefer\$5)) near4 (printer) and (unavailable or busy)	US-PGPUB	2004/11/04 10:40
İ	-	417	((send\$4 or transmit\$4 or transfe\$4) near7	USPAT;	2004/11/04 09:13
			(favorit\$4 or particular or prefer\$5)) near4 (printer)	US-PGPUB	
	-	9	(((send\$4 or transmit\$4 or transfe\$4) near7 (favorit\$4 or particular or	USPAT; US-PGPUB	2004/11/04 09:15
			<pre>prefer\$5)) near4 (printer) ) and (((printer\$2) near6 (IP or address\$2))</pre>		
		51	same (busy or unavailable))	USPAT;	2004/11/04 09:47
	_	4	(busy or unavailable)	US-PGPUB USPAT;	2004/11/04 10:52
		21	((ping\$4) near5 (printer))	US-PGPUB USPAT:	2004/11/04 10:52
	_			US-PGPUB	
	-	1	("6552813").PN.	USPAT; US-PGPUB	2004/11/05 13:25
	-	1	(("6552813").PN.) and (automatical\$4)	USPAT; US-PGPUB	2004/11/05 13:27
	-	1	(("6552813").PN.) and (automatical\$4 and busy)	USPAT; US-PGPUB	2004/11/05 13:31
	-	0	(busy adj printer)	USPAT; US-PGPUB	2004/11/05 13:33
	-	0	((send\$4 or transmit\$4) near6 (job)) near5 (busy adj printer)	USPAT; US-PGPUB	2004/11/05 13:33
	-	0	near10 (busy adj printer)	USPAT; US-PGPUB	2004/11/05 13:33
	-	6	((send\$4 or transmit\$4) near6 (job)) same (busy adj printer)	USPAT; US-PGPUB	2004/11/05 13:40
		187	((printer\$2) near4 (unavailable or available or error)) same (busy)	USPAT;	2004/11/05 14:12
	<u></u>	1	((send\$4 or tramsmit\$4 or dispatch\$4) near3 (job)) near6 (busy near3 printer)	USPAT; US-PGPUB	2004/11/05 14:15
	. , ,	0	((send\$4 or tramsmit\$4 or dispatch\$4) near3 (busy adj printer))	USPAT; US-PGPUB	2004/11/05 14:16
	-	7	((send\$4 or tramsmit\$4 or dispatch\$4) same (busy adj printer))	USPAT; US-PGPUB	2004/11/05 14:20
	-	0	((send\$4 or tramsmit\$4 or dispatch\$4) near5 (queu\$4 or stor\$4 or buffer\$4)) same	USPAT; US-PGPUB	2004/11/05 14:33
	_	5	(busy adj printer) ((send\$4 or tramsmit\$4 or dispatch\$4)	USPAT;	2004/11/05 14:40
			near5 (job)) near6 ((busy or used) adj (printer))	US-PGPUB	,, 55 11.40
	-	13	((print\$4 adj server) near6 (dispatch\$4 or send\$4 or transmit\$5)) same (busy)	USPAT; US-PGPUB	2004/11/05 15:32
	-	1	("6314476").PN.	USPAT; US-PGPUB	2004/11/05 15:32
	-	1	(("6314476").PN.) and (snmp or busy or available or status or server)	USPAT; US-PGPUB	2004/11/05 15:44
	-	1	(("6314476").PN.) and (snmp or busy or available or server or printer)	USPAT; US-PGPUB	2004/11/05 15:47
	-	1	(("6314476").PN.) and (busy)	USPAT; US-PGPUB	2004/11/05 15:48
	-	310	((printer) near6 (unavailable))	USPAT; US-PGPUB	2004/11/05 15:49
	- '	56	((send\$4 or transmit\$4 or dispatch\$4) near5 (busy near3 printer))	USPAT; US-PGPUB	2004/11/05 15:50
L			(Dany means princer)	00 10101	

[-	5	(((printer) near6 (unavailable)) ) and	USPAT;	2004/11/05 15:53
		(((send\$4 or transmit\$4 or dispatch\$4)	US-PGPUB	
	1	near5 (busy near3 printer)))		
-	1	("20020133653").PN.	USPAT;	2004/11/05 15:53
	1		US-PGPUB	
-	1	(("20020133653").PN.) and (busy)	USPAT;	2004/11/05 15:55
			US-PGPUB	1
-	1	("6401150").PN.	USPAT;	2004/11/05 15:55
			US-PGPUB	
-	1	(("6401150").PN.) and (busy)	USPAT;	2004/11/05 15:57
		-	US-PGPUB	
-	0	((SNMP AND MIB AND IPP AND API) SAME	USPAT;	2004/11/05 15:59
		(printer near4 status))	US-PGPUB	
-	2	((SNMP AND MIB AND IPP AND API) and	USPAT;	2004/11/05 16:00
		(printer near4 status))	US-PGPUB	
-	2	((SNMP AND MIB AND IPP AND API) and	USPAT;	2004/11/05 16:00
		(printer same status))	US-PGPUB	
-	2	((SNMP AND MIB AND IPP AND API) and	USPAT;	2004/11/05 16:01
		(printer and status))	US-PGPUB	' '
_	9	((SNMP AND MIB AND IPP) and (printer and	USPAT;	2004/11/05 16:02
		status))	US-PGPUB	
-	23	((SNMP AND IPP) and (printer and status))	USPAT;	2004/11/08 08:34
			US-PGPUB	